

国家葡萄酒质量监督检验中心检验报告  
The Report by National Centre of Wine Quality Supervision & Inspection

No.: (2006) 2110507

共 2 页 第 1 页 Total 2 pages, page 1

|  |   |  |                               |
|--|---|--|-------------------------------|
| <b>Product name</b>                            | Recoverable plastic synthetical wine cork   | <b>Registered trademark</b>                          | —                             |
| <b>Specification and model</b>                 | TBL44—Φ22   | <b>Type of inspection</b>                            | Entrustment                   |
| <b>Inspected unit</b>                          | Top Cork (Ruian) Co., Ltd   | <b>Sample grade</b>                                  | Qualified product             |
| <b>Manufacturing unit</b>                      | Top Cork (Ruian) Co., Ltd   | <b>Person of sending sample</b>                      | Chen Qinbin                   |
| <b>Sampling location</b>                       | —   | <b>Date of sending sample</b>                        | 2006-07-25<br>July 25 in 2006 |
| <b>Sample quantity</b>                         | 30 pieces   | <b>Date of inspection</b>                            | 2006-07-30<br>July 31 in 2006 |
| <b>Sample base number</b>                      | —   | <b>Sample serial number</b>                          | 211060516                     |
| <b>Characteristic and appearance of sample</b> | Perfect   | <b>Original serial number and date of production</b> | —                             |
| <b>Environment of inspection</b>               | Temperature: —℃ Relative humidity : —% Air pressure: —MPa<br>■ According to standard request  |  |                               |
| <b>According as inspection</b>                 | Q/ YTB001-2006 (draft)  |  |                               |
| <b>Conclusion of inspection</b>                | Inspected items conform to standard provision.<br>Date of sign and issue: August 1 in 2006<br>(seal) Exclusive use seal of inspection of National Centre of Wine Quality Supervision & Inspection |  |                               |
| <b>备注<br/>Remarks</b>                          | /   |  |                               |

批准: 张燕

Approval: Zhangyan

审核: 许雪柏

Verification: Xu Xuebai

主检: 谢淑兰

Main inspector: Xie Shulan

## 国家葡萄酒质量监督检验中心检验报告附页

## Attached page to Report by National Centre of Wine Quality Supervision &amp; Inspection

No.: (2006) 2110507

2006年8月1日 August 1 in 2006

共 2 页 第 2 页 Total 2 pages, page 2

| Ordinal number | Name of Item inspected                                   | Technical standard request | Unit of measurement | Result of inspection | Single item judgment |
|----------------|--|----------------------------|---------------------|----------------------|----------------------|
| 1              | Residue on evaporation                                   | ≤30                        | mg/L                | 6                    | qualified            |
|                | 4% acetic acid 60°C, 2h<br>65% ethanol, 20°C, 2h         | ≤30                        | mg/L                | 11                   | qualified            |
| 2              | Consumption of potassium permanganate<br>60°C, 2h        | ≤10                        | mg/L                | 4                    | qualified            |
| 3              | Heavy metal (metering in pb)<br>4% acetic acid, 60°C, 2h | ≤1                         | mg/L                | <1                   | qualified            |
| 4              | Decolorization test                                      | negative                   | /                   | negative             | qualified            |
|                | Ethanol  | negative                   | /                   | negative             | qualified            |
|                | Edible oil or transparent fat and oil                    | negative                   | /                   | negative             | qualified            |
|                | Soak solution  | negative                   | /                   | negative             | qualified            |

以下空白 Thereinafter blank

烟台市产品质量监督检验所检验报告  
The Report by Yantai Institute for Quality Supervision & Inspection of Product

No.: (2006) 2050409

共 2 页 第 1 页 Total 2 pages, page 1

|  |  |  |                               |
|--|--|--|-------------------------------|
| <b>Product name</b>                            | Recoverable plastic synthetical wine cork  | <b>Registered trademark</b>                          | —                             |
| <b>Specification and model</b>                 | TBL44—Φ22  | <b>Type of inspection</b>                            | Entrustment                   |
| <b>Inspected unit</b>                          | Top Cork (Ruian) Co., Ltd  | <b>Sample grade</b>                                  | Qualified product             |
| <b>Manufacturing unit</b>                      | Top Cork (Ruian) Co., Ltd  | <b>Person of sending sample</b>                      | Chen Qinbin                   |
| <b>Sampling location</b>                       | —  | <b>Date of sending sample</b>                        | 2006-07-25<br>July 25 in 2006 |
| <b>Sample quantity</b>                         | 30 pieces  | <b>Date of inspection</b>                            | 2006-07-26<br>July 26 in 2006 |
| <b>Sample base number</b>                      | —  | <b>Sample serial number</b>                          | 205060427                     |
| <b>Characteristic and appearance of sample</b> | Perfect  | <b>Original serial number and date of production</b> | —                             |
| <b>Environment of inspection</b>               | Temperature: —℃ Relative humidity : —% Air pressure: —MPa<br>■ According to standard request   |  |                               |
| <b>According as inspection</b>                 | Q/ YTB001-2006 (draft)   |  |                               |
| <b>Conclusion of inspection</b>                | Inspected items conform to standard (draft) provision.<br><br>Date of sign and issue: July 31 in 2006<br><br>(seal) Exclusive use seal of inspection of Yantai Institute for Quality Supervision & Inspection of Product |  |                               |
| <b>备注<br/>Remarks</b>                          | /  |  |                               |

批准: 李红  
Approval: Lihong

审核: 杨国明  
Verification: Yang Guoming

主检: 刘建君  
Main inspector: Liu Jianjun

## 烟台市产品质量监督检验所检验报告附页

## Attached page to Report by Yantai Institute for Quality Supervision &amp; Inspection of Product

No.: (2006) 2050409

2006年7月31日 July 31 in 2006

共 2 页 第 2 页 Total 2 pages, page 2

| Ordinal number | Name of Item inspected        | Technical standard request                         | Unit of measurement | Result of inspection             | Single item judgment |
|----------------|-------------------------------|--|---------------------|----------------------------------|----------------------|
| 1              | Dimensions                    |  |                     |                                  |                      |
| 1.1            | Length                        | 44±1   | mm                  | 44                               | Qualified            |
| 1.2            | Diameter                      | 22±0.5   | mm                  | 21.5(+)-21.9                     | Qualified            |
| 1.3            | Ellipticity                   | ≤0.4   | mm                  | 0.1~0.2                          | Qualified            |
| 2              | Appearance quality            | 4.1 article in the Q/ YTB001-2006 standard (draft) | /                   | measure up to standard provision | Qualified            |
| 3              | Degree of hardness ( Shore A) | 60-85  | Degree              | 73-80                            | Qualified            |
| 4              | Extraction force              | 330-520  | KPa                 | 338~359                          | Qualified            |
| 5              | Forced down Force             | 190-400  | N                   | 216~277                          | Qualified            |
| 6              | Rebound degree                | ≥95  | %                   | 97                               | Qualified            |
| 7              | Sealing property              | No leakage in 24 hours                             | /                   | measure up to standard provision | Qualified            |

Thereinafter blank